




**NU-STYLE  
SHUTTERS**  
*It's how we roll.*

## Security Doors & Screens

**PR**  **MESH316®**



Excellent Peace of mind protection  
providing Security for your home  
and family!

Affordable home security for peace of mind

Protect the most important things in your home

# SecureGrille

aluminium diamond grille

The SecureGrille aluminium diamond grille provides protection at an affordable price. Manufactured here in WA with a 10 year guarantee.




security for your home



### Why choose SecureGrille?

SecureGrille uses an extra heavy duty aluminium frame with contoured face for improved strength and added style. The receiving channel is extra deep for additional security. SecureGrille security screens are manufactured with fibreglass flywire as standard. Optional upgrade to midgee flywire, heavy duty flywire or restricted vision mesh is also available.



- Custom made heavy duty 6063 architectural aluminium security frame for added strength
- 7mm tempered aluminium grille for greater strength and increased protection
- Austral Lock triple locking system installed on all hinged, sliding and stacking security doors
- Heavy duty stainless steel bearings used on all sliding and stacking door wheels as standard

### Choice of stylish colours

SecureGrille security screens are available in a wide range of colours. Choose from eight standard powder coated colours or two standard anodised finishes.

#### Standard powder coated colours

- Black
- White
- Magnolia
- Doeskin
- Brown
- Anotec Dark Grey
- Metallic Lustre
- Anodic Natural

#### Standard anodised finishes

- Clear Anodised
- Bronze Anodised

### SecureGrille 10 year warranty

SecureGrille security screens come with a 10 year manufacturer's warranty.





### Independent testing

SecureGrille security screens have been independently tested at a NATA test facility to ensure they pass and exceed Australian Standards.

- Shear Test**  
AS5039 & AS5041
- Dynamic Impact Test**  
AS5039 & AS5041
- Jemmy Test**  
AS5039 & AS5041
- Lock & Hinge Lever Test**  
AS5039 & AS5041
- Security Screen Installation**  
AS5040
- Window Fall Prevention Test**  
AS5203
- Insect Protection**  
Keep Flies & Mosquitoes Out

Strong and Affordable Protection - It's how we roll.



PROMESH316® is the premium screen system designed to provide exceptional security without restricting the view.

**Why choose a PROMESH316® security door?**

The PROMESH316® security screen range is manufactured with 0.9mm 316 marine grade high-tensile stainless steel wire. T316 stainless steel contains an additional substance, molybdenum, which gives higher protection from corrosion. It is especially beneficial for installations within 10km of areas where pollutants are more prevalent, such as close to pools, spas, rivers, coast or industrial areas. This wire, which is 12.5% thicker than many other security mesh brands currently used in the industry, is sourced for its quality, strength and reliability. Our unique Retaining Hook System (RHS) provides exceptional strength compared to standard manufacturing processes. All screens are custom built in our local manufacturing facility and made to measure to suit your exact requirements.

- Custom made heavy duty 6063 architectural aluminium security frame for added strength
- Premium 0.9mm T316 marine grade stainless steel wire mesh with 900-950MPa high-tensile strength
- Bush fire compliant 1.64mm mesh aperture size with 41.69% open area allowing air flow and saving dollars on energy costs
- Lockwood triple locking system installed on all hinged, sliding and stacking security doors as standard
- Heavy duty stainless steel bearings used on all sliding and stacking door wheels as standard
- Lockwood 316 marine grade stainless steel hinges used on all hinged security doors as standard



**PROMESH316® Retaining Hook System (RHS)**  
 PROMESH316® security screens are constructed using our unique Retaining Hook System. Manufacture involves a 60 tonne hydraulic press forming a foldback portion along all sides of the mesh. The mesh grips within the recess of the frame, locked under tension and cannot be removed. To complete the process, a corrosion insulator and finishing wedge is applied.

**Choice of stylish colours**

PROMESH316® security screens are available in a wide range of colours. Choose from eight standard powder coated colours, two standard anodised finishes, two Wood Look designs or many special powder coated colours.

**Standard powder coated screen frame colours**

- Black
- White
- Magnolia
- Doeskin
- Brown
- Anotec Dark Grey
- Metallic Lustre
- Anodic Natural

**Standard anodised screen frame finishes**

- Clear Anodised
- Bronze Anodised

**Wood Look screen frame designs**

- Jarrah
- Cedar

**Non-standard powder coated colours**

We can also powder coat in any Interpon®, Dulux® or Colorbond® colour.

**Independent testing**

PROMESH316® security screens have independently been tested at a NATA test facility to ensure they pass and exceed Australian Standards.


|   |  |
|---|--|
|  <b>Knife Shear Test</b><br>AS5039 & AS5041      |  <b>Cyclone Debris Test</b><br>AS1170.2     |
|  <b>Dynamic Impact Test</b><br>AS5039 & AS5041   |  <b>Salt Corrosion Test</b><br>AS2331.3     |
|  <b>Jemmy Test</b><br>AS5039 & AS5041            |  <b>Fall Prevention Test</b><br>AS5203      |
|  <b>Lock &amp; Hinge Test</b><br>AS5039 & AS5041 |  <b>Insect Protection</b><br>Keep Flies Out |
|  <b>Security Installation</b><br>AS5040          |  <b>Bushfire Protection</b><br>AS3959       |

Premium Quality - It's how we roll.

**SecureShield®**  
ALUMINIUM SECURITY




**ASSA ABLOY**



**SecureShield®**  
ALUMINIUM SECURITY

SecureShield® is the new security screening solution offering maximum protection at an affordable price.



**Why choose our system?** The SecureShield® security screen range is manufactured using a 1.6mm thick perforated aluminium security sheet with a 2mm hole diameter. It is extremely corrosion resistant making it suitable for the harsh Australian conditions and easy to keep clean. SecureShield® security doors and security screens are harder to cut or penetrate. Designed to not only keep the flies or mosquitoes out but the burglars as well. All SecureShield® products are custom built and made to measure to suit your exact requirements.

Custom made heavy duty 6063 architectural aluminium security frame for added strength

Premium 1.6mm thick perforated aluminium security sheet with a 2mm hole diameter spaced 3mm apart

Bush fire compliant 2mm mesh aperture size with 40.4% open area allowing air flow and saving dollars on energy costs

Lockwood triple locking system installed on all hinged, sliding and stacking security doors

Heavy duty stainless steel bearings used on all sliding and stacking door wheels as standard

Lockwood 316 marine grade stainless steel hinges used on all hinged security doors

**Choice of stylish colours**

SecureShield® security screens are available in a wide range of colours. Choose from eight standard powder coated colours, two standard anodised finishes, two Wood Look designs or any Interpon®, Dulux® or Colorbond® colour

**Standard powder coated screen frame colours**

-  Black
-  White
-  Magnolia
-  Doeskin
-  Brown
-  Anotec Dark Grey
-  Metallic Lustre
-  Anodic Natural

**Standard anodised screen frame finishes**

-  Clear Anodised
-  Bronze Anodised

**Wood Look screen frame designs**

-  Jarrah
-  Cedar



**Independent testing**

SecureShield® security screens have independently been tested at a NATA test facility to ensure they pass and exceed Australian Standards

|   |  |
|---|--|
|  <b>Knife Shear Test</b><br>AS5039 & AS5041                |  <b>Salt Corrosion Test</b><br>AS2331.3     |
|  <b>Dynamic Impact Test</b><br>AS5039 & AS5041             |  <b>Fall Prevention Test</b><br>AS5203      |
|  <b>Jemmy Test</b><br>AS5039 & AS5041                      |  <b>Insect Protection</b><br>Keep Flies Out |
|  <b>Lock &amp; Hinge Test</b><br>AS5039 & AS5041<br>AS5040 |  <b>Bushfire Protection</b><br>AS3959       |

Stylish and Reliable - It's how we roll.

**SecureVision®**  
privacy aluminium security



**ASSA ABLOY**

**SecureVision®**

SecureVision® is the restricted vision security door that provides a degree of privacy from people outside your home looking in. SecureVision® security doors are ideal as your front security door, available as a hinged or sliding configuration

**Why choose SecureVision®?** SecureVision® uses an extra heavy duty aluminium frame with contoured face for improved strength and added style. The receiving channel is extra deep for additional security. Restricted vision security mesh (3mm thick) is secured within the door framing creating a privacy barrier from people outside your home. The SecureVision® design works best when there is lighting outside (day light or night light) and very little lighting inside. SecureVision® security doors are harder to cut or penetrate. Designed to not only keep the flies or mosquitoes out but the burglars as well. All SecureVision® security doors are custom built to suit your exact requirements.

- Custom made heavy duty 6063 architectural aluminium security frame for added strength
- 3mm aluminium restricted vision security mesh for greater strength and increased privacy
- Lockwood triple locking system installed on all hinged, sliding and stacking security doors as standard
- Lockwood 316 marine grade stainless steel hinges used on all hinged security doors as standard

**Choice of stylish colours**

SecureVision® security door frames are available in a wide range of colours. Choose from eight standard powder coated colours, two standard anodised finishes, two Wood Look designs or many non-standard powder coated colours from Interpon®, Dulux® or Colorbond®.



SecureVision® hinged security door

**Standard powder coated door frame colours**

- Black
- White
- Magnolia
- Doeskin
- Brown
- Anotec Dark Grey
- Metallic Lustre
- Anodic Natural

**Standard anodised door frame finishes**

- Clear Anodised
- Bronze Anodised

**Wood Look door frame designs**

- Jarrah
- Cedar

**Independent testing**

SecureVision® security doors have independently been tested at a NATA test facility to ensure they pass and exceed Australian Standards.



**Knife Shear Test**  
AS5039 & AS5041



**Dynamic Impact Test**  
AS5039 & AS5041



**Jemmy Test**  
AS5039 & AS5041



**Lock & Hinge Lever Test**  
AS5039 & AS5041


Decorative Cast Aluminium Panels for strength and style

With extra heavy duty aluminium frame

**Decorative**  
cast aluminium panels



**ASSA ABLOY**




**Decorative**  
cast aluminium panels

Why choose Decorative cast aluminium hinged security doors?


Decorative hinged security doors use an extra heavy duty aluminium frame with contoured face for improved strength and added style. The receiving channel is extra deep for additional security. Decorative security doors are available with a choice of security mesh options - woven 316 stainless steel, heavy-duty restricted vision or perforated aluminium.



Woven 0.9mm  
Stainless Steel



HD Restricted Vision  
Aluminium



Perforated  
Aluminium

- Custom made heavy duty 6063 architectural aluminium security frame for added strength
- Choice of woven stainless steel, HD restricted vision aluminium or perforated aluminium security mesh
- Lockwood triple locking system installed on all decorative doors as standard
- Lockwood 316 marine grade stainless steel hinges used on all our decorative doors as standard

Choice of 100+ stylish colours

Decorative cast aluminium hinged security doors are powder coated in any Interpon® or Dulux® colour of your choice. The security mesh is coated using black powder coat to provide better reflectivity and visibility.

Decorative cast aluminium hinged security doors come with a 10 Year manufacturer's warranty.




Decorative CG12 hinged double doors

Independent testing

Decorative cast aluminium hinged security doors have been independently tested at a NATA test facility to ensure they pass and exceed Australian Standards.

- Shear Test AS5039 & AS5041
- Dynamic Impact Test AS5039 & AS5041
- Jemmy Test AS5039 & AS5041
- Lock & Hinge Lever Test AS5039 & AS5041



Barrier option (non-security) - Decorative cast aluminium doors are also available with a single locking system and flywire.

Charming and Strength - It's how we roll.

# Petway dog and cat doors



Petway® manufacture dog and cat doors that are perfectly suited for use with grille or mesh doors. Australian designed, owned and made, these access doors can be installed in any SecureGrille, SecureShield®, SecureVision® or PROMESH316® door. However, conditions do apply.

## Can you put a pet door in a security door?

Adding a Petway® access door to your security door will reduce its security. It will no longer be classified as a security door. Please discuss your requirements with your sales consultant.

## Available colours



Black



Primrose



Brown



Stone Beige



White



S



M



L



S



M



L

## Opening sizes

Small Petway® (190mm wide x 240mm high)  
Add Medium Petway® (225mm wide x 305mm high)  
Add Large Petway® (260mm wide x 400mm high)

## Optional Extras

Upgrade to a Petway® Flexible Flap (Small, Medium or Large)

## Installing in new doors

Petway® access doors can be installed into any SecureGrille, SecureShield® or PROMESH316® door. It cannot be installed in a SecureVision® door.

## Installing in existing doors

Petway® access doors can be installed into any traditional diamond grille style door.

Visit our showrooms or call 1300 798 776 for a Free measure and quote today.



RAC Member Benefits  
Discount available



WA Seniors Card Members  
Save 10%



Safety & Security  
\$400 Rebate

For more information, see:  
[www.seniorscard.wa.gov.au](http://www.seniorscard.wa.gov.au)



NU-STYLE  
SHUTTERS  
*It's how we roll.*

FOR A FREE MEASURE AND QUOTE CALL

**1300 798 776**